

F.A.P. RTE. SECTION COUNTY - 06-00045-00-SW COOK FEDERAL RD. DIST. NO. | ILLINOIS | FEDERAL AID PROJECT CONTRACT: 83966



EXISTING & PROPOSED TYPICAL SECTION

HAPP ROAD STA. 104+90 TO STA. 107+00 (SHEET 8 OF 9)



EXISTING & PROPOSED TYPICAL SECTION


HAPP ROAD STA. 19+20 TO STA. 21+90 (SHEETS 6 AND 7 OF 9)

HMA MIXTURE REQUIREMENTS			
PAY ITEM	AC TYPE	VOIDS	
HMA DRIVEWAY HOT MIX ASPHALT SURFACE COURSE, MIX 'C', N50 (IL 9.5MM) 2"	PG 64-22	4% @ 50 GYR	
HMA BASE CSE (HMA BINDER IL-19MM) PE=6" CE=8"	PG 64-22*	4% @ 50 GYR	

CE=8


THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SQ YD/IN.

* WHEN RAP EXCEEDS 20% THE NEW ASPHALT BINDER IN THE MIX SHALL BE PG 58-22



EXISTING & PROPOSED TYPICAL SECTION

<u>HAPP_ROAD</u> STA, 107+00 TO STA, 110+40 (SHEETS 9 OF 9) HAPP ROAD STA. 100+25 TO STA. 104+90 (SHEETS 8 OF 9)



EXISTING & PROPOSED TYPICAL SECTION

<u>HAPP ROAD</u> STA. 24+95 TO STA. 26+10 (SHEET 7 OF 9) HAPP ROAD STA. 15+40 TO STA. 19+20 (SHEET 6 OF 9)



date	detailed	
05-15-07	D. CHAVEZ	
designed	checked	
J.LeROY	A.BRYANT	



VILLAGE of NORTHFIELD

2005 HAPP ROAD CMAQ TYPICAL SECTIONS

42272

G003 of 11

sheet 3 file 42272G003.dwg